


To: Public School District Administrators, Private School Administrators, Interested Parties
From: Carolyn Stanford Taylor, Assistant State Superintendent 
Division for Learning Support
Re: Notification of Youth Suicide Prevention Resources
Date: February 2015

Attached please find the Model Notice of Suicide Prevention Resources for 2015. Wisconsin Statute sec. 115.365 requires that, "Each school board and the governing body of each private school annually shall inform their professional staff of the resources available from the department and other sources regarding suicide prevention." It also requires the Department of Public Instruction (DPI) to create a model notice for schools. This notice is attached and available for download, along with many other resources, on our website.

Though data from the 2013 Wisconsin Youth Risk Behavior Survey shows no difference from 10 years ago in the percentage of students reporting themselves as clinically depressed (25 percent in 2003 and 2013), there has been a decline in the percentage of high school students who seriously considered attempting suicide; from 20 percent in 2003 to 13 percent in 2013. This is a significant downward trend; however, the percentage of students actually attempting suicide one or more times did not drop as significantly. The percentage of high school students attempting suicide in 2003 was 8 percent compared to 6 percent in 2013. At this point, our state youth suicide rate is the 14th highest in the nation; higher than both Minnesota and Illinois. There is more work to be done in suicide prevention, and we are making strides to overcome this problem. I encourage you to stay updated with DPI resources and/or participate in our highly-rated suicide prevention workshop.

Please share this model notice with all of your staff members; anyone who works with students must be able to recognize suicide warning signs and know how to quickly respond. You can easily customize the notice by including resources from your school, local mental health providers, county mental health services, crisis services, or local chapters of Mental Health America of Wisconsin (MHA), National Alliance for Mental Illness (NAMI), and Helping Others Prevent and Educate about Suicide (HOPES). The model notice is not covered by copyright; you are free to put the notice on your district letterhead, to make copies, or to forward electronically.

Please also consider assigning a district task force to be trained in school-based suicide prevention. DPI's suicide prevention workshop offers evidence-based strategies for universal, selected, and targeted prevention and intervention. The workshop has been very popular and well-received, but it will take an ongoing commitment to deal with this serious problem. Please join me in continuing our important work in youth suicide prevention.

CST:gcc

Attachment

2015 Required Notice of Youth Suicide Prevention Resources

More youth suicide prevention resources are available at: http://sspw.dpi.wi.gov/sspw_suicideprev

Youth Suicide Prevention Resources Are Available

To get updated information on suicide prevention, intervention, and postvention resources, visit DPI's website. There are downloadable documents on the state laws, a fact sheet on youth suicide, and updated suicide prevention curriculum. It also includes an updated webinar of an online gatekeeper training for all staff and DPI's updated one-day training flyer, description, and calendar. Other resources include strategies on suicide interventions, memorial suggestions, and other topics.

Know the Signs

Suicide doesn't usually happen out of the blue—there are often warning signs for others to see or hear. Get the *FACTs* and know the suicidal thinking signs of your students, friends, and family members.

Feelings

- ◆ Hopelessness
- ◆ Rage, uncontrolled anger, seeking revenge
- ◆ Feeling trapped – like there's no way out
- ◆ No sense of purpose in life

Actions

- ◆ Acting reckless or engaging in risky activities
- ◆ Withdrawing from friends, family and society
- ◆ Increased alcohol or drug use
- ◆ Giving away prized possessions

Changes

- ◆ Decline in quality of school work
- ◆ Dramatic mood changes
- ◆ Anxiety, agitation, change of eating/sleeping habits

Threats

- ◆ Threatening/talking about hurting self

From American Association of Suicidology

Suicide Is a Complex Problem

Multiple factors are involved when someone dies by suicide. Oversimplifying the reasons someone takes their own life is not helpful. For instance, saying bullying "caused" someone to end their life is not all-encompassing. Not all bullying victims kill themselves. Research suggests many factors contribute to suicide. These include: biological factors, precipitating factors, and triggering events. Examples of biological factors include mental illness or losing a family member to suicide. Precipitating factors include poor grades, attending an unsafe school, victimization, or family rejection. Crisis/triggering events include experiencing a major loss, humiliation or bullying, and having access to lethal means. Suicide is a complex problem that is often misunderstood when oversimplified.

From: American Association of Suicidology (AAS) webinar January 2011.

Identifying mental illness or alcohol/other drug abuse problem is significant.

- The most common mental illness leading to suicide is depression. It is also the most treatable!
- In the 2013 YRBS, over 25 percent of high school students experienced persistent sadness or hopelessness. About six percent of high school students attempted suicide. This shows that depression is somewhat common, but suicide is not.
- Binge drinking is highly correlated with suicide attempts. Ninety percent of people who died by suicide had some form of mental illness and/or an alcohol/other drug abuse problem.

Reducing access to lethal means can be very worthwhile. (see www.meansmatter.com)

- Limiting access to the means for suicide provides the most significant reduction in suicide rates. Most often, youth who attempt suicide use a gun kept in the home.
- Do not allow youth to have unsupervised access to firearms and certain medications. Encourage safe/secure storage of lethal means is a critical prevention strategy.

When youth are facing what they believe is a crisis and exhibit warning signs of suicide, be sure they are not left alone or sent home without supervision.

Suicide Prevention Resource Center
www.sprc.org


Prevent Suicide Wisconsin
www.preventsuicidewi.org

Helping Others Prevent and Educate about Suicide
www.hopes-wi.org

American Association of Suicidology
www.suicidology.org

WI Safe and Healthy Schools Training Center
www.wishschools.org

Important Resources



What can you do if you are concerned about a student?

Teachers and other school staff are well-positioned to observe student behavior and to **ACT** if there is a suspicion that a student may consider self-harm. Suicide is a permanent solution to a temporary problem; but for kids, their problems can seem endless at this stage. If we get them through the crisis, there is a 90 percent chance that they will never attempt suicide. ACT stands for **Acknowledge, Care, and Tell**.

A

Acknowledge feelings rather than minimizing them. Telling a student to “get over it” or “move on” is not a realistic outcome when dealing with a person with depression.

- “I’m sorry to hear about this. It sounds really hard.”

C

Show Care and Concern for the student by taking the next step.

- “I’m worried about you. I don’t want anything bad to happen to you or for you to be hurt.”

T

Tell a member of your crisis team. They know how to work with students who have concerns like these.

- “Let’s go talk with someone in the counseling office.”

These steps (Acknowledge-Care-Tell) are central components of the “Signs of Suicide” program (SOS), an evidence-based school-wide intervention program. SOS kits for middle school and high school are available through your local CESA. The law mandates schools to educate students on suicide prevention; see the laws handout on the DPI website for further details on curriculum.

Common Concerns

What if I make a mistake? Can I be sued?

State law insulates all public and private school district employees and volunteers from civil liability for their acts and omissions when trying to intervene in a student’s possible suicide. The legislature found it so important that adults take action when a student is suicidal that they insulated those adults from civil liability for their efforts with suicidal students.

Does asking about suicide cause a student to attempt it?

No. This issue has been thoroughly studied. By asking a student about suicidal intent, you are offering to help them. Please do your best to reach out to students.

Seeing Urgent Warning Signs? Here’s What to Avoid

All children and adolescents can experience moodiness and will take time to ask life’s big questions. Since they lack the perspective of time, they can become overwhelmed. The best roles for teachers are to support students, and if you see the suicide warning signs, use ACT. Some of the statements below might make perfect sense for students who aren’t suicidal; but when kids are in crisis, these things can make it worse.

Here are some things to avoid when you see the urgent warning signs:

Don’t Shame

- “You’ve got to get over this. It’s not a big deal.”
- “Why are you so worried? Move on!”
- “You’re too sensitive. Grow up!”

Don’t Delay

- When you see urgent warning signs, get help right away, don’t wait.

Don’t Blame

- “If you wanted a better grade, you would have worked harder.”
- “You’ve got no one to blame but yourself.”
- “Maybe you should change your attitude if you want friends.”

Don’t Give Up

- Suicide is NOT a destiny—when people make it through the suicidal crisis, they usually go on to live healthy, productive lives!

Don’t Do It Alone

- Consult other pupil services staff or administration to help.